



Hertfordshire and West Essex Integrated Care Board

NHS Herts and West Essex

Integrated Care Board (ICB)

Labiaplasty, Vaginoplasty &

Hymenorrhaphy

Version Number	V1.1
Approved By	NHS Hertfordshire & West Essex Integrated Care Board.
Date Approved	28 February 2023
Responsible Director	Medical Director
Directorate	Clinical
Staff Audience	HWE EBI and IFR Team, Primary and Secondary Care Clinicians, Provider Clinical Funding Teams
Publication Date	April 2023
Review Date	December 2024
Description	Policy for local Evidence Based Interventions procedure
Superseded Documents (if applicable)	West Essex CCG – Vaginal Labial Reduction Refashioning policy Hertfordshire CCG (Priorities Forum) – Labiaplasty & Vaginoplasty

Document Owner: Medical Directorate	Prepared by: Associate Medical Director for Planned Care and Prioritisation	First Published: April 2023
Document number:	Approval date: 28 February 2023	Version number: 1.1
Status: Approved	Next review date: December 2024	

Document Control

Version	Page	Details of amendment	Author
1.1	4.0	Minor wording change to clarify Hymenorrhaphy is not funded	Lara Segovia

Document Owner: Medical Directorate	Prepared by: Associate Medical Director for Planned Care and Prioritisation	First Published: April 2023
Document number:	Approval date: 28 February 2023	Version number: 1.1
Status: Approved	Next review date: December 2024	

The policy should include a contents page, as set out below, and be structured around all of the headings shown (although not necessarily in the same order)

CONTENTS

Section		Page
1.	Content The key points of the policy should be written in a clear, concise manner, so as to be easily understood and correctly interpreted	4
2.	Background and Rationale	4 & 5
3.	References An evidence base for the policy using up-to-date references. All references should be cited in full using an agreed uniform approach to referencing	6

Appendices:

Each appendix will be numbered to follow on from the policy document.

Document Owner: Medical Directorate	Prepared by: Associate Medical Director for Planned Care and Prioritisation	First Published: April 2023
Document number:	Approval date: 28 February 2023	Version number: 1.1
Status: Approved	Next review date: December 2024	

Policy: Labiaplasty, Vaginoplasty & Hymenorrhaphy

1. Content

Labiaplasty and/or vaginoplasty should only be commissioned when medically necessary AND secondary to another underlying medical condition.

If a clinician wishes to refer the patient to secondary care then funding must be approved by the ICB and will only be considered in the following circumstances.

Funding applications must include a clear description of the patient's condition. The submission of medical photography may be requested but is optional.

Surgery will only be considered for adults (over 18), excluding cancer cases.

Genital reconstruction for gender dysphoria is outside of the scope of this policy.

Labiaplasty

Labiaplasty is generally a cosmetic procedure to improve appearance alone. Requests for labiaplasty will be considered only for the following indication:

- Where repair of the labia is required after severe physical trauma; common consequence of childbirth will not be sufficient reason.
- Cancer
- Significant congenital malformation (this would not include cosmetic issues such as large labia) or endocrine abnormalities such as adrenal hyperplasia or Turners syndrome

Vaginoplasty

Non-reconstructive vaginoplasty or "vaginal rejuvenation" is used to restore vaginal tone and appearance. Requests for vaginoplasty will be considered only for the following indications:

- Congenital absence or significant developmental/endocrine abnormalities of the vaginal canal,
- Where repair of the vaginal canal is required after severe physical trauma; common consequence of childbirth will not be sufficient reason.

Hymenorrhaphy

As per the Health and Care Act 2022 it is an offence to carry out hymenoplasty (reconstruction of the hymen) with or without consent. It is also an offence to aid or abet a person to carry out hymenoplasty.

2. Background and Rationale

Labiaplasty is a surgical procedure where the folds of the labia minora are partially removed. The labia minora are inner lip-like folds of skin surrounding the entrance to the vagina. The number of requests for this procedure and the number of surgeons offering it has

Document Owner: Medical Directorate	Prepared by: Associate Medical Director for Planned Care and Prioritisation	First Published: April 2023
Document number:	Approval date: 28 February 2023	Version number: 1.1
Status: Approved	Next review date: December 2024	

dramatically increased in recent years (1). Furthermore, between 2008 and 2012, 266 labial reduction operations were performed on girls under the age of 14 years in the NHS for unknown reasons with unknown consequences (2 and 3).

The majority of labial reduction operations take place in the private sector (mainly for cosmetic reasons) where there is no requirement to provide activity and outcome data, so the total number of operations performed is thus unknown.

Reasons for requesting labiaplasty are often to alleviate functional discomfort, improve appearance and increase self-esteem. Many women seeking labial reduction opt for the procedure because they feel stigmatised by distorted perceived social norms about how they should look, based on a cultural bias towards a 'neater' 'pre-pubescent look' being more desirable (4). In reality the size range of normal adult labia minora shows a wide variation. The lack of teaching material for trainee doctors and surgeons has not helped them to be able to convince women of the diverse range of normal anatomy that exists (5). Women may also have unrealistic expectations of the surgery, and be disappointed with the outcome which may include adverse effects like scarring and loss of sensitivity (6).

Surgery for labia minora is being marketed as an effective treatment for women's complaints, such as recurrent urinary tract infections (UTIs), or to enhance sexual functioning, but as there is a lack of high quality evidence for a beneficial effect, it should be considered as medically non-essential surgery and thus not routinely commissioned. Indeed, in one large multicentre study (7), it was noted that although over 90% of patients were satisfied with the results of their surgery in the short term, it was stated that sexual dysfunction before surgery and enhancement after surgery is highly subjective and difficult to quantify.

Some case series also point to re-operation rates following labiaplasty of up to 7% for reasons such wound dehiscence, infection and dissatisfaction with appearance (8).

None of the studies found in a literature review looked at the potential for long term obstetric complications after such surgery. As with any surgical procedure, labiaplasty carries short-term risks of bleeding and wound infection. However, there are no data on the potential physical and psychological risks in the medium and long term. Long-term damage to sensitivity and sexual function may also occur after labiaplasty, as surgery will disrupt nerve supply with consequences for sensitivity.

In a 2013 paper (3) on the Ethics of female genital cosmetic surgery (FGCS) , the Royal Collage of Gynaecology states: "Clinicians have a duty of care to provide these women with accurate information on the diversity of morphology and appearance of the female genitalia and to suggest simple measures to relieve genital discomfort where no pathology can be identified. The importance of education, support and advice should be at the heart of clinical practice, with sympathetic appreciation of the female body insecurities that are rife in western society. The presentation of female genital cosmetic surgery as an unproblematic lifestyle choice is undesirable because it misleads women as to the need for and the efficacy of such surgical techniques."

Document Owner: Medical Directorate	Prepared by: Associate Medical Director for Planned Care and Prioritisation	First Published: April 2023
Document number:	Approval date: 28 February 2023	Version number: 1.1
Status: Approved	Next review date: December 2024	

The RCOG recommends in this paper (3) that FGCS should not be undertaken within the NHS unless it is medically indicated, and (owing to anatomical development during puberty) should not normally be offered to individuals below 18 years of age.

The ethics paper (3) also emphasises how important it is to distinguish between “situations in which a woman’s labia give rise to functional problems that provide therapeutic grounds for the procedure, and situations in which there are no such functional problems and a woman’s motivation for asking for labiaplasty is primarily a concern about her genital appearance.” A 2011 editorial (9) states that women and girls who are concerned about any part of their genitals should have an examination, and where the genitalia are healthy and normal, this should be made “unambiguously clear” to the women and girls. In this respect, GPs and other front-line staff have a crucial role in educating and reassuring women and girls.

3. References:

- 4.
1. Lloyd J, Crouch NS, Minto CL, Creighton SM. (2005) Female genital appearance: ‘normality’ ‘unfolds’. BJOG - An International Journal of Obstetrics and Gynaecology 2005; 112:643-646.
2. British Society for Paediatric & Adolescent Gynaecology (BritSPAG). Position Statement: Labial Reduction Surgery (Labiaplasty) on Adolescents (October 2013)
3. RCOG Ethics Committee (2013) Ethical considerations in relation to female genital cosmetic surgery (FGCS)
4. Moran C, Lee C. What’s normal? Influencing women’s perceptions of normal genitalia: an experiment involving exposure to modified and non-modified images. BJOG 2013; DOI: 10.1111/1471-0528.12578.
5. BBC Radio 4 Woman’s Hour (18/11/13) Labiaplasty – NHS restrictions and interview with Kaye Wellings, Professor of Sexual and Reproductive Health
<http://www.bbc.co.uk/programmes/p00wr7q8> (accessed 19/11/13)
6. Bramwell R, Morland C, Garden AS (2007). Expectations and experience of labial reduction: a qualitative study. BJOG An International Journal of Obstetrics and Gynaecology 2007; 114:1493-1499.

Patients who are not eligible for treatment under this policy may be considered on an individual basis where their GP or consultant believes exceptional circumstances exist that warrant deviation from the rule of this policy. Individual cases will be reviewed as per the ICB policy.

Document Owner: Medical Directorate	Prepared by: Associate Medical Director for Planned Care and Prioritisation	First Published: April 2023
Document number:	Approval date: 28 February 2023	Version number: 1.1
Status: Approved	Next review date: December 2024	